Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2233	(transition\$3 or chang\$3 or switch\$3) near6 (internal adj clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:31
L2	729	1 same (detect\$3 or sens\$3 or determin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:31
L3	460	1 with (detect\$3 or sens\$3 or determin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 14:28
L4	3	2 same ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:32
L5	2	3 with ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 14:31
L6	. 22	2 and ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 14:51
L7	11	3 and ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 14:33
L8	33137	((transition\$3 or chang\$3 or switch\$3) near6 clock) same (detect\$3 or sens\$3 or determin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 14:54
L9	17914	((transition\$3 or chang\$3 or switch\$3) near6 clock) with (detect\$3 or sens\$3 or determin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 14:54

L10	25	8 same ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 14:57
L11	4	9 with ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 14:55
L12	35	2 same (receiver or transceiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 15:28
L13	16	3 with (receiver or transceiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 15:28
L14	4	12 same (disabl\$3 or stop\$4 or halt\$3 or inhibit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2007/03/05 15:29
L15	2	13 with (disabl\$3 or stop\$4 or halt\$3 or inhibit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 15:32
L16	16176	(disabl\$3 or stop\$4 or halt\$3 or inhibit\$3) near6 (receiver or transceiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 15:32
L17	3	16 same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 15:33
L18	2	16 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 15:33
L19	17	16 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 15:33

						T
L20	10	16 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 15:33
L21	· 24	16 same 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 15:45
L22	4	16 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 15:45
L23	7	2 same ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3 oe enabl\$3 or start\$3 or restart\$3 or (re adj start\$3)) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:24
L24	2	3 with ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3 oe enabl\$3 or start\$3 or restart\$3 or (re adj start\$3)) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:01
L25	39	2 and ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3 oe enabl\$3 or start\$3 or restart\$3 or (re adj start\$3)) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 15:53
L26	22	3 and ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3 oe enabl\$3 or start\$3 or restart\$3 or (re adj start\$3)) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:36
L27	1297	(pulse\$1 near2 generat\$3) same (internal adj clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/05 16:00
L28	830	(pulse\$1 near2 generat\$3) with (internal adj clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:00
L29	33	27 same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:03

L30	19	28 with 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:15
L31	2	29 same (receiver\$1 or transceiver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2007/03/05 16:20
L32		29 and (receiver\$1 or transceiver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:02
L33	1	30 and (receiver\$1 or transceiver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:01
L34	409	(generat\$3 near6 (internal adj clock)) same receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:48
L35	221	(generat\$3 near6 (internal adj clock)) with receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:16
L36	12	34 same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:29
L37	8	35 with 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:17
L38	36	2 same (receiver\$1 or transceiver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/05 16:21
L39	16	3 with (receiver\$1 or transceiver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:21

140		30 anna 34	LIC DCDLID	OD	OFF	2007/03/05 16:21
L40	12	38 same 34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:21
L41		39 with 35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:21
L42	4	34 and 23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:24
L43	2	35 and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:24
L44	443	(generat\$3 near6 (internal adj clock)) same (receiver or transceiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:43
L45	246	(generat\$3 near6 (internal adj clock)) with (receiver or transceiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:31
L46	5486	(transition\$3 or chang\$3 or switch\$3) near6 ((internal or system) adj clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:31
L47	1674	46 same (detect\$3 or sens\$3 or determin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/05 16:32
L48	900	46 with (detect\$3 or sens\$3 or determin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:32
L49	3	47 same ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:33

L50	2	48 with ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:32
L51	12	44 same 47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:34
L52	8	45 with 48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:33
L53	9	47 same ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3 o4 enabl\$3 or start\$3 or restart\$3 or (re adj start\$3)) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:49
L54	4	48 with ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3 o4 enabl\$3 or start\$3 or restart\$3 or (re adj start\$3)) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:38
L55	18	47 and 713/500.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:50
L56	13	48 and 713/500.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:44
L57	1	55 and ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3 or enabl\$3 or start\$3 or restart\$3 or (re adj start\$3)) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:45
L58	8	47 and 713/503.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:46
L59		58 and ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3 or enabl\$3 or start\$3 or restart\$3 or (re adj start\$3)) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:46

				,		Y
L60	17	47 and 713/600.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:46
L61	0	60 and ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3 or enabl\$3 or start\$3 or restart\$3 or (re adj start\$3)) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:46
L62	15	47 and 713/601.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:46
L63	1	62 and ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3 or enabl\$3 or start\$3 or restart\$3 or (re adj start\$3)) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:47
L64	443	(generat\$3 near6 (internal adj clock)) same (receiver or transceiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:48
L65	246	(generat\$3 near6 (internal adj clock)) with (receiver or transceiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2007/03/05 16:48
L66	17	64 same ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3 o4 enabl\$3 or start\$3 or restart\$3 or (re adj start\$3)) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:49
L67	8	65 with ((disabl\$3 or stop\$4 or halt\$3 or inhibit\$3 o4 enabl\$3 or start\$3 or restart\$3 or (re adj start\$3)) near6 (receiver\$1 or transceiver\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:49
L68	0	66 and 713/500.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:50
L69	0	66 and 713/503.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:50

L70	0	66 and 713/600.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:51
L71	0	66 and 713/601.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/05 16:51
L72	5	66 and 47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/05 16:52
L73	3	67 and 48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/05 16:52